NOTE:
REFER TO 2ND FLOOR
ENLARGED LOFT PLAN A9.4
FOR MORE DETAILS.

LEGEND

- 3-HR AREA SEPARATION CONC. WALL - PER STRUCTURAL (12 / A8.2)
- CONCRETE/CMU WALL PER STRUCT. PLANS
- 2-HR SHAFT (8 / A8.2) (17 / A8.5)
- 1-HR INTERIOR CORRIDOR WALL - 6", 20 GA. METAL STUDS @ 16" O.C. W/ 2-LAYER 1/2" TYPE 'X' GYP. BD. ON EACH SIDE & R-19 INSULATION PER P/BC 2011-08.9 (SEE STRUCT. PLANS FOR SHEAR WALL LOCATIONS) (8 / A8.2)
- 1-HR CONC. CORRIDOR WALL (SEE STRUCT. PLANS)
- 1-HR CONC. INTERIOR PARTY WALL (SEE STRUCT. PLANS)
- 1-HR INTERIOR PARTY WALL - 6", 20 GA. METAL STUDS @ 16" O.C. ON 18 GA TRACK W/ 2-LAYER 5/8" TYPE 'X' GYP. BD. ON BOTH SIDES & R-19 INSULATION PER P/BC 2011-08.9 - 8" CMU WALL W/ CONCAVE MORTAR JOINT PROVIDE CONCRETE SEALER AT AREAS SUBJECT TO MOISTURE (SEE STRUCT. PLANS FOR LOCATIONS)
- INTERIOR PARTITION - NON LOAD BEARING 3 5/8" METAL STUDS W/ 5/8" TYPE 'X' GYP. BD. ON EACH SIDE (SEE STRUCT. PLANS FOR GAUGE) (10 / A8.2)
- DRYER VENT WALL, 2-HR FIRE RATED WALL (9 / A8.4)
- KITCHEN VENT WALL, 2-HR FIRE RATED WALL (10 / A8.4)
- HARD WIRED PHOTOELECTRIC SMOKE DETECTORS W/ BATTERY BACK-UP, MODEL NO. 2002/RAC BY BRK ELECTRONICS
- W.S.P. CLASS I WET STANDPIPE
- EXIT SIGN W/ EMERGENCY LIGHT
- D.D. DECK DRAIN
- 1/2" MAX. FINISH TO FINISH FLOOR DIFFERENCE
- DRYER VENT
- CM CARBON MONOXIDE ALARM
- 5 MINUTES MIN. AIR EXCHANGE FAN

DIMENSION & FINISH NOTES:

1. ALL DIMENSIONS ARE FINISH TO FINISH U.N.O.
2. SEE ENLARGED PLANS FOR DETAILED UNIT, DIMENSIONS AND CALLOUTS.

NOT FOR CONSTRUCTION

2ND FLOOR MEZZ. PLAN

SCALE : 1/16"=1'-0"

THE USE OF THESE PLANS AND SPECIFICATIONS SHALL BE RESTRICTED TO THE ORIGINAL SITE FOR WHICH THEY WERE PREPARED AND PUBLICATION THEREOF IS EXPRESSLY LIMITED TO SUCH USE. REPRODUCTION, PUBLICATION OR USE BY ANY METHOD OR IN ANY MEDIUM EXCEPTING FOR CONSTRUCTION SITE USE TO THE OWNER, ARE PROHIBITED. TITLE TO THE PLANS AND SPECIFICATIONS REMAINS WITH THE ARCHITECT AND VISUAL CONTACT WITH THESE PLANS AND SPECIFICATIONS SHALL CONSTITUTE PRIMA FACIE EVIDENCE OF THE ACCEPTANCE OF THE RESTRICTIONS

DATE	REVISIONS
2/27/16	ARCH REVISIONS
4/18/16	ARCH REVISIONS

DATE	ISSUED FOR

CONSULTANT

SIGNATURE

PLUS ARCHITECTS
ARCHITECTURE ■ SPACE PLANNING ■ INTERIOR DESIGN
1770 SAWTELLE BOULEVARD ■ LOS ANGELES CA 90025 ■ 310-478-6149

SHEET TITLE: SECOND FLOOR MEZZ

PROJECT TITLE: THE MANSFIELD
8300 WILSHIRE BOULEVARD
LOS ANGELES, CA 90048

DATE	DRAWN	CHECKED	PROJECT
			1301

SHEET A2.5 OF

F:\Projects\1301_The Mansfield\Revit\1301_A13_2ndFloorLoft.dwg, 4/29/2016 2:09:56 PM, Sadaoki, ARCHITECT, 1:1