



NOTE:  
REFER TO 3RD FLOOR ENLARGED  
PLAN A9.5 FOR MORE DETAILS.

**LEGEND**

- 2-HR EXTERIOR WALL, CONST. - STUCCO  
X6 STUDS @ 16" O.C. W/ 2 LAYERS 5/8" TYPE 'X' GYP. BD. •  
INTERIOR FACE 4 2 COATS OF 1/2" CEMENT PLASTER O/ 5/8" TYPE 'X' GYP. BD. • EXTERIOR FACE 4 R-19 INSULATION
- 2-HR SHAFT
- 3-HR AREA SEPARATION WALL
- 1-HR CORRIDOR WALL  
X6 STUDS @ 16" O.C. W/ 1-LAYER 5/8" TYPE 'X' GYP. BD. BOTH SIDES 4 RESILIENT CHANNELS @ 16" O.C. ON ONE SIDE STC 50 - PER GA FILE U93242
- PLUMBING WALL

- 1-HR INTERIOR PARTY WALL  
X6 PLATES W/ 2X OR 3X4 STAGGERED STUDS  
8" O.C. W/ 2-LAYER 5/8" TYPE 'X' GYP. BD. ON BOTH SIDES STC 50 - PER P/B/C 201-063
- X4 STUDS INTERIOR WALL
- DRYER VENT WALL, 2-HR FIRE RATED WALL  
2X6 STUDS W/ 2-LAYERS 5/8" TYPE 'X' GYP. BD. ON BOTH SIDES
- KITCHEN VENT WALL, 2-HR FIRE RATED WALL  
2X8 STUDS W/ 2-LAYERS 5/8" TYPE 'X' GYP. BD. ON BOTH SIDES

**DIMENSION & FINISH NOTES:**  
1. ALL DIMENSIONS ARE FINISH TO FINISH UNO.  
2. SEE ENLARGED PLANS FOR DETAILED UNIT, DIMENSIONS AND CALLOUTS.

- 1/2" MAX. FINISH TO FINISH FLOOR DIFFERENCE
- DRYER VENT
- CH1 CARBON MONOXIDE ALARM WALL W/ GRAB BAR BACKING 32" TO 38" ABOVE FLR FOR 36" TO 42"
- GH4 FLOOR MOUNTED GRAB BAR
- Hard wired PHOTOELECTRIC SMOKE DETECTORS W/ BATTERY BACK-UP, MODEL NO. 2802RAC BY BSK ELECTRONICS
- 5 MINUTES MIN. AIR EXCHANGE FAN
- WSP. CLASS I WET STANDPIPE
- EXIT SIGN W/ EMERGENCY LIGHT
- DECK DRAIN
- PANIC HARDWARE
- PORTABLE FIRE EXTINGUISHER - 15 FT. MAX. TRAVEL DIST. FROM ANY PT.

NOT FOR CONSTRUCTION

THE USE OF THESE PLANS AND SPECIFICATIONS SHALL BE LIMITED TO THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREON. ANY REVISIONS TO THESE PLANS SHALL BE MADE BY A REVISION SHEET AND SHALL BE APPROVED BY THE ARCHITECT. THE ARCHITECT SHALL BE RESPONSIBLE FOR THE ACCURACY OF THE INFORMATION AND SHALL BE LIABLE TO THE OWNER AND PROFESSIONAL ENGINEER FOR ANY ERRORS, OMISSIONS, OR NEGLIGENCE. THE ARCHITECT SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OF THE INFORMATION PROVIDED BY OTHER PROFESSIONALS OR FOR THE ACCURACY OF THE INFORMATION PROVIDED BY THE OWNER.

DATE	REVISIONS
12/28/24	ARCH. REVISIONS
12/28/24	ARCH. REVISIONS

  

DATE	ISSUED FOR

CONSULTANT

SIGNATURE

**PLUS ARCHITECTS**  
ARCHITECTURE ■ SPACE PLANNING ■ INTERIOR DESIGN

1770 SAWTELLE BOULEVARD ■ LOS ANGELES CA 90025 ■ 310-478-6149

SHEET TITLE  
**5TH FLOOR PLAN**

PROJECT TITLE  
**THE MANSFIELD**  
1770 SAWTELLE BOULEVARD  
LOS ANGELES, CA 90025

DATE  
DRAWN  
CHECKED  
PROJECT  
**1301**

SHEET  
**A2.8**  
OF

**5TH FLOOR PLAN**  
SCALE: 1/16"=1'-0"